



***Ruby Coast Research Centre
Health and Environment International Trust
Mapua, Nelson, New Zealand***

***In collaboration with:
United Nations University, International Institute of Global Health,
Kuala Lumpur, Malaysia
and
Lund University, Umea University, Sweden
Australian National University, Australia
University College London, United Kingdom
Nelson-Marlborough Institute of Technology, New Zealand***

Technical report 2014:1

Draft 140625

Hothaps Program Update,

June 2014 :

**Progress report on a program for assessment and
prevention of impacts of climate conditions and climate
change on working people**

by Tord Kjellstrom, Health and environment International trust, Mapua, New Zealand,

**Bruno Lemke and Matthias Otto, Nelson-Marlborough Institute of Technology,
Nelson, New Zealand**

Olivia Hyatt, David Briggs, Chris Freyberg, consultants, Nelson, New Zealand

THE “Hothaps” Program Update, June, 2014

Hothaps = High Occupational Temperature: Health and Productivity Suppression

Aims

This program is designed to carry out and facilitate research and analysis on effects of heat exposure on working people (including gender aspects and effects on pregnant women and on children), to quantify climate change-related increases in workplace heat exposures and the impact this will have on human health and productivity in different locations around the world, and to identify feasible ways to prevent or reduce such exposures and effects. Impacts of increasing heat on health equity and associated links to economic development and human rights will also be assessed. The ultimate aim is to improve the understanding of the potential working life consequences of climate change and to promote effective prevention..

Overview

This program includes studies that:

- Develop better methods for assessing human heat exposure and heat stress using a variety of heat stress indexes
- Measure and model current and future heat exposures in different parts of the world
- Describe the history and local cultural aspects of heat impacts on working people
- Link to other bio-meteorological research on the biological mechanisms and clinical consequences of heat exposure.
- Test methods to measure effects of heat on human health and performance (particularly physical activity and work capacity)
- Apply such methods in Hothaps field studies in different parts of the world, focusing on workplaces in already hot locations (includes heat waves and continuous hot climates)
- Quantify the exposure-response relationships for direct heat effects and other workplace related effects of climate conditions
- Analyse the age- and gender-specific impacts of heat stress, including studies of pregnant women, working children, school children, elderly workers and other vulnerable groups
- Use climate change model outputs from internationally agreed models to estimate future trends of heat and cold exposures and the likely impacts on health and human performance of working people at local, national, regional and global level (using globally gridded data)
- Estimate the “burden of disease and injury” due to heat exposure
- Estimate the social and economic consequences of these Hothaps impacts

The Hothaps program welcomes independent research and analysis on any of these topics as it is not “possessive” of its’ methods and results. The emerging evidence about the “Hothaps effect” is a “public good” that should be shared freely in order to facilitate and encourage preventive actions in any location. Background information, analysis methods and Hothaps study results will be provided and regularly updated on the website www.ClimateCHIP.org and on websites of the collaborating institutions.

Background

The recent global assessment of climate change impacts on human health has, however, brought the broader health and well-being impacts of heat on working people to a higher visibility (IPCC, 2014). The increasing *heat exposure* due to climate change during the hottest parts of the day in the hottest seasons will affect the productivity of people who have to work in the ambient climate, and the impacts on economic output is likely to be very large (DARA, 2012). In many tropical and sub-tropical countries the loss of labor productivity due to workplace heat will increase by billions of US dollars each year (DARA, 2012). Workplace heat will affect outdoor workers and many indoor workers in factories or other workplaces (even offices) without air conditioning (ISO, 1989; Parsons, 2014). Because physical work activities add surplus heat production inside the human body to the accumulated heat load, *heat stress* becomes a particular problem for working people when heat exposure from outside the body is high. If the ambient air temperature is higher than 37 °C, heat transfer goes into the body, and only evaporation of sweat can reduce body heat (Parsons, 2014). However, such evaporation is less and less effective as the humidity level goes up, and at 100% relative humidity sweating continues but it creates no body heat loss via evaporation.

Because of these well known physiological conditions, working people in non-cooled workplace environments are particularly vulnerable to *heat strain* in the form of clinical health effects or reduced physical performance (includes work capacity or productivity) as climate change causes temperatures to increase in most areas of the world (Kjellstrom et al., 2009a; Kjellstrom et al., 2013). The Hothaps program was designed and started to meet the need for analysis of increasing heat exposure as a problem in different parts of the world, and to identify effective heat prevention methods that can be integrated into future developments of working environments (indoors and outdoors) in agriculture, construction, manufacturing and services (Kjellstrom et al., 2009b; Kjellstrom et al., 2014). Heat is of course also a problem for clinical health effects, including heat wave mortality, which are described and quantified in a number of studies and reviews (e.g. McMichael et al., 1996, 2003; Costello et al., 2009). The heat effects on daily activities, work tasks and leisure sports are however generally ignored (as they are not considered “health effects”) and the Hothaps program is aiming at filling the evidence gap.

References

- *Costello A, Abbas M, Allen A, Ball S, Bell S, Bellamy R, et al. (2009) (Lancet-University College London Commission). Managing the health effects of climate change. *The Lancet* 373: 1693-1733.
- *DARA (2012) Climate Vulnerability Monitor 2012. Madrid, Fundacion DARA Internacional.
- *IPCC (2014). Climate Change 2014: Contribution of working group 2 to the fifth assessment report. Health impacts chapter. Geneva: The Intergovernmental Panel on Climate Change.
- *ISO (1989) Hot environments - Estimation of the heat stress on working man, based on the WBGT-index (wet bulb globe temperature). ISO Standard 7243. Geneva: International Standards Organization.
- *Kjellstrom T, Holmer I, Lemke B. (2009a) Workplace heat stress, health and productivity – an increasing challenge for low and middle income countries during climate change. *Global Health Action* 2009; 2: DOI 10.3402/gha.v2i0.2047.
- *Kjellstrom T, Gabrysch S, Lemke B, Dear K. (2009b) The “Hothaps” program for assessment of climate change impacts on occupational health and productivity: An invitation to carry out field studies. *Global Health Action* 2009; 2: (on website: www.globalhealthaction.net). DOI 10.3402/gha.v2i0.2082.
- *Kjellstrom T, Lemke B, Otto M (2013) Mapping occupational heat exposure and effects in South-East Asia: Ongoing time trends 1980-2009 and future estimates to 2050. *Indust Health* 51: 56-67.
- *Kjellstrom et al., (2014) Climate change impact on Occupational heat stress and related health and productivity effects. Technical report (in press on www.ClimateCHIP.org).
- *Parsons K.(2014) Human thermal environments. The effects of hot, moderate and cold temperatures on human health, comfort and performance.3rd edition. London: Taylor & Francis; 2014.

Program development

The program started in 2008 and the progress and outputs have been presented in more than 90 publications (see Appendix A). Further work is needed before it can be fully integrated into comprehensive assessments of the human health and well-being impacts of climate conditions and climate change. From the outset, method descriptions, guidance materials and proposed research protocols for Hothaps have been made freely available. This has stimulated new studies in different parts of the world. A website with relevant information and a Hothaps-Soft database and software have been developed (see: www.ClimateCHIP.org).

The program was initiated by the research group Health and Environment International Trust, Ltd, in New Zealand, and has received significant financial (via research grants) and other support during the first years of development from Australian National University, National Centre for Epidemiology and Population Health (NCEPH), Canberra, Australia (ANU), Umea University, Centre for Global Health Research, Umea, Sweden (UMU), University College London, Institute for Global Health, London, United Kingdom, and University of Tromso, Centre for International Health, Tromso, Norway. Links have also been made with Wellington School of Medicine and Health Sciences, University of Otago, Wellington, New Zealand, the Nelson-Marlborough Institute of Technology, Nelson, New Zealand, and a number of academic units in tropical cooperating countries.

In 2014 Hothaps was made a key component of the Environmental Health program of the United Nations University International Institute of Global Health (IIGH), Kuala Lumpur, Malaysia. It is also an important part of the interdisciplinary project on HEAT at the Pufendorf Institute, Lund University, Lund, Sweden. It contributes to the AVOID2 program at University of East Anglia, Norwich, United Kingdom, and the climate change and health research program at University of Wisconsin, Global Health Institute, Madison, Wisconsin, USA.

The program was developed by Professor Tord Kjellstrom who has been:

- Director, Office of Global and Integrated Environmental Health, WHO, Geneva, 1985-1997
- Professor of Environmental Health, University of Auckland, 1998-2002
- Director, Health and Environment International Trust, Mapua, New Zealand, 2000 -
- Visiting Fellow, Professor, ANU, NCEPH, Australia, 2002 -
- Senior Professor, Umeå University, Sweden, 2010-2013
- Honorary Professor, University College London, 2011 –
- Visiting Professor, United Nations University, IIGH, Malaysia, 2014 –
- Visiting Research Fellow, Lund University, Sweden, 2014 -

The **research team in New Zealand** includes: Tord Kjellstrom; and Bruno Lemke and Matthias Otto, Nelson-Marlborough Institute of Technology; Olivia Hyatt, Chris Freyberg, Dave Briggs, Anna Crosbie, Carolyn Hughes and Adrienne Taylor, consultant researchers, New Zealand

During the development the program has benefitted from important scientific and other input from a number of experienced scientist including:

Tony McMichael, Liz Hanna, Keith Dear, *National Centre for Epidemiology and Population Health, Australian National University, **Australia***

Peter Byass, Rainer Sauerborn, Drs Joacim Rocklov, Maria Nilsson, Rebekah Lucas, *Centre for Global Health Research, Umeå University, **Sweden***

Jon Oyvind Odland, *International Health, University of Tromsø, **Norway***

Anthony Costello, Michael Davies, Anna Mavrogianni, *University College London, United Kingdom*
Kalev Kuklane, Ingvar Holmer, Maria Albin, Kristina Jakobsson, *Lund University, Sweden*
Hannu Rintamaki, *Finnish Institute of Occupational Health, Finland*
Ken Parsons, *Loughborough University, United Kingdom*
Shin-ichi Sawada, *National Institute of Occupational Health, Japan*
Martin Manning, Ralph Chapman, *Victoria University, New Zealand*
Philippa Howden-Chapman, *Otago University, New Zealand*
Marc Schenker, *University of California, Davis, USA*


In addition, there are a number of scientists from specific countries who have been active contributors in published work to date. These include:

Juma Rahmna, **Bangladesh**, Jennifer Crowe, **Costa Rica**, Luis Blanco, **Nicaragua**
Ramon Antonio Garcia-Trabanino, **El Salvador** Hildaaura A de Patino and Anabel Tatis, **Panama**
Angie Mathee, Joy Oba, Mark Collinson, Stephen Tollman, Jonny Myers, **South Africa**
Leonie Dapi, **Cameroon** Ahmed Balogun, **Nigeria**
Vidhya Venugopal, Pranab Nag, Anjira Nag, Kalpana Balakrishnan, Sushil K Dash, Subhashis Sahu,
Wasundhara Joshi, **India**
Bandana Pradhan, **Nepal** Keith Dear, **China**
Benjawan Tawatsupa, Uma Langkulsen, Nuntavarn Vichit-Vadakan, Sasitorn Taptagaporn, **Thailand**
Nguyen Bich Diep, Duong Khanh Van, Nguyen Thu Ha, **Vietnam**
Steve Sherwood, Peng Bi, **Australia**
Sudhvir Singh, Alistair Woodward, Simon Hales, **New Zealand**
Marc Schenker, Jonathan Patz, Thoams Bernard, **USA** Christer Hogstedt, **Sweden**
..... *additional people have provided unpublished Hothaps input*


Descriptions of current and likely future workplace heat exposure around the world

Hothaps has accumulated grid cell (0.5 x 0.5 degrees) data for the whole world on monthly climate variables, which can be used to calculate the occupational heat stress index WBGT (Wet Bulb Globe Temperature), or any other heat index, in any part of the world and any month. The map below shows the example of 30-year average (1980-2009) of monthly average WBGT in the afternoons indoors or in full shade for the hottest month in each part of the world (e.g. hottest summer days are August in the USA and Egypt; April in India; January in Australia).

The seven hottest days each month can be estimated at 2-3 °C higher levels than those in the map, and the three hottest days may be up to 5 °C hotter than the levels in the map. The WBGT heat level outdoors in the sun in the afternoons is usually 2-3 °C hotter than the indoor or full shade values. It is clear that moderate or high risk of heat stress in outdoor or non-cooled indoor environments is an important problem for many countries in the tropical and sub-tropical zones. The Hothaps website www.ClimateCHIP.org includes heat analysis tools for this type of gridded data available for each place on Earth. This map was included in the IPCC (2014) health impact chapter. The heat exposure intensity scale below the map (shown as different colors on the map) is based on the international standard for prevention of workplace heat effects (ISO, 1989). When WBGT reaches 25 or 26 °C, the heat stress on people carrying out very intensive labor is so high that frequent rest periods are recommended. The higher the WBGT, the more rest is needed.




Another Hothaps analysis tool is the Hothaps-Soft software and database with daily data from thousands of weather stations around the world. In a few seconds the actual measured climate data as well as calculated WBGT, UTCI (Universal Thermal Climate Index), and other heat stress relevant variables can be presented in graphics like the two below for the airports in Kuala Lumpur (Malaysia) and Miami (USA). The time trends for 1980-2013 can be calculated and data for the same grid cell (CRU = Climate Research Unit) as where the weather station is located can be shown (as shown for Miami below). The annual trends for average WBGTmax (afternoon values) are 0.3 °C per decade in Kuala Lumpur and 0.1 – 0.15 °C per decade in Miami.



The ongoing work for Hothaps will include calculations from risk functions of different health effects of climate conditions as well as the potentially related social and economic impacts. The resulting “Heat exposure health impact assessments” can also be presented as maps and trend graphs. The maps and graphics tools are made available for local analysis, and they will create new opportunities for health

authorities, educational institutions (including high schools), and other interested organizations to make their own analysis and develop training and information on local climate change impacts on health and well-being.

This analysis makes it possible also to estimate the percentage of annual daylight work hours lost because it is too hot to work, indicating the work capacity and labor productivity loss (as for SE Asia below, included in a recent report, Kjellstrom et al., 2014).



The work capacity loss and health impact data can also be presented in maps and the website www.ClimateCHIP.org makes it possible to zoom in directly on specific sites.

Completed Hothaps activities

Methods development for heat stress indicators measurement and calculation

- Publication of initial risk assessment based on reviews of available reports
- Field studies and reports from Taiwan, Thailand, India, Vietnam, Australia, New Zealand, Nigeria, Cameroon, South Africa, Costa Rica, and Nicaragua.
- Development of heat mapping methods and publications for selected regions, including Africa and South-East Asia
- Development of Hothaps-Soft software and database for local heat analysis
- Downloading of RCP modeled data by 0.5 x 0.5 degree grid cells
- Estimating global and regional impact of heat on working people, health and social effects, and economic outcomes as a part of the Comparative Risk Assessment carried out for the WHO global impact analysis
- Establishing the website www.ClimateCHIP.org for information and sharing of tools, data and new analysis

Ongoing Hothaps activities

- Special studies of heat stress and prevention in India, and communication and promotion of results (funded by Sida, Sweden)
- Field studies of core body temperature increase in young working women due to ambient heat and continuous physically active work in order to assess risk for impacts on pregnancy (United Nations University)

- Nationwide study of workers in Australia, including dehydration analysis (funded by NHMRC, Australia)
- Heat effects on agricultural workers in California (funded by NIOSH, USA)
- Publication of reports on Hothaps-Soft software development and other methods development
- Global mapping of heat stress and cold stress, and health risks and productivity losses, as well as links to air conditioning use
- Cooperation with Central American and USA scientists in assessing chronic kidney disease epidemic and its relationship to heat exposure and dehydration
- Analysis of architectural design and urban design impacts on local heat exposures in buildings
- Further development of ClimateCHIP website
- Facilitating inter-disciplinary cooperation via new links between climatologists, health scientists, social scientists, economists, architects/engineers, etc.
- Strengthening Hothaps networking and communication for climate change policy development at national and international level

Potential planned Hothaps activities

- Further field studies in countries (plans on track for Egypt, Ghana, Ethiopia, India, Nepal, Bangladesh, Thailand, China, Colombia, Brazil and USA)
- Effect of heat on agricultural workers productivity and impacts on local food production in low income areas
- Establishing heat and cold exposure response relationships and definition of a “Livable climate”
- Defining thresholds for need for cooling systems in residential and workplace buildings
- Producing ClimateCHIPS (Climate Change Health Impacts and Prevention profiles) for selected countries and regions.
- Producing short notes for websites on Hothaps issues and the emerging research and analysis results.
- Global mapping of need for air conditioning in workplaces

Appendix A.

Publications list for Hothaps related reports, 2000-2014 (Chronological order)

Peer reviewed journal articles

1. Kjellstrom, T. Climate change, heat exposure and labour productivity. Proc. ISEE 2000, 12th Conference of the International Society for Environmental Epidemiology, Buffalo, USA, August, 2000. *Epidemiology*, 2000, 11, S144. <http://www.epidem.com/pt/re/epidemiology/fulltext.00001648-200007000-00380.htm;jsessionid=LvLN9dlhWV9G6nKbj28KLJD1Q2kJy1tGvmhpwhKt4xvknH4dDhJx!-1412394389!181195629!8091!-1>
2. Hales, S., Salmond, C., Town, I.C., Kjellstrom, T. and Woodward, A. Daily mortality in relation to weather and air pollution in Christchurch, New Zealand. *Aust. NZ J PH*, 2000, 24, 89-91.
3. McMichael AJ, Kjellstrom T. Sustainable Development, Global Environmental Change and Public Health. *Isuma*, Fall 2002: 43-50.
4. D'Souza RM, Becker N, Hall G, Kjellstrom T, Bambrick H, Kelsall L, Hanigan I, Guest C. Climatic factors associated with admissions of diarrhoea in children under the age of five years. (Abstract). *Epidemiology*, 2005; 16(5): S60.
5. D'Souza RM, Becker NG, Kjellstrom T, Bambrick H, Woodruff R, Kelsall L, Hanigan I, Guest C. Influence of climatic factors on hospitalizations and emergency room presentations of asthma and other respiratory conditions in children.(Abstract). *Epidemiology*, 2005; 16(5): S50.
6. Dear K, Ranmuthugala G, Kjellstrom T, Skinner C and Hanigan I. Effects of temperature and ozone on daily mortality during the August 2003 heat wave in France. *Arch. Environ Occup Health*, 2005, 60: 205-212.
7. Friel S, Marmot M, McMichael AJ, Kjellstrom T, Vågerö D. Global health equity and climate stabilisation - need for a common agenda. *The Lancet*, 2008; 372: 1677-1683.
8. Kjellstrom T and Weaver HJ. Climate Change and Health -- impacts, vulnerability, adaptation and mitigation. *NSW Publ Health Bulletin*, 2009, 20, 5-9
9. Kjellstrom T. Climate change, direct heat exposure, health and well-being in low and middle income countries. *Global Health Action*, 2009 2.
10. Crowe J, van Wendel de Joode B, Wesseling C. A pilot field evaluation on heat stress in sugar cane workers in Costa Rica: What to do next? *Global Health Action* 2009, 2. DOI: 10.3402/gha.v2i0.2062
11. Kjellstrom T, Kovats S, Lloyd SJ, Holt T, Tol RSJ. The direct impact of climate change on regional labour productivity. *Int Archives of Environmental & Occupational Health*, 2009, 64, 217-227 (on website: http://ensembles-eu.metoffice.com/docs/kjellstrom_2009_prod_paper.pdf).
12. Kjellstrom T, Holmer I, Lemke B. Workplace heat stress, health and productivity – an increasing challenge for low and middle income countries during climate change. *Global Health Action* 2009(on website: www.globalhealthaction.net). DOI 10.3402/gha.v2i0.2047.
13. Kjellstrom T, Gabrysich S, Lemke B, Dear K. The “Hothaps” program for assessment of climate change impacts on occupational health and productivity: An invitation to carry out field studies. *Global Health Action* 2009, 2. (on website: www.globalhealthaction.net). DOI 10.3402/gha.v2i0.2082.
14. Sauerborn R, Kjellstrom T, Nilsson M. Health as a crucial driver for climate policy. *Global Health Action* 2009, 2. (on website: www.globalhealthaction.net). DOI 10.3402/gha.v2i0.2104.
15. Jendritzky G, Tinz B. The thermal environment of the human being on the global scale. *Global Health Action* 2009, 2. DOI: 10.3402/gha.v2i0.2005
16. Ayyappan R, Sambandam S, Rajkumar P, Balakrishnan K. Work-related heat stress concerns in automotive industries: a case study from Chennai, India. *Global Health Action* 2009, 2. DOI: 10.3402/gha.v2i0.2060
17. Lin R-T, Chan C-C. Effects of heat on workers' health and productivity in Taiwan. *Global Health Action* 2009, 2. DOI: 10.3402/gha.v2i0.2024

18. Parsons K. Maintaining health, comfort and productivity in heat waves. *Global Health Action* 2009, 2. DOI: 10.3402/gha.v2i0.2057
19. Delgado Cortez O. Heat stress assessment among workers in a Nicaraguan sugar cane farm. *Global Health Action* 2009, 2. DOI: 10.3402/gha.v2i0.2069
20. Preet R, Nilsson M, Schumann B, Evengard B. The gender perspective in climate change and global health. *Global Health Action*, 2010, 3. DOI: 10.3402/gha.v3i0.5720
21. Crowe J, Moya-Bonilla JM, Roman-Solano B, Robles-Ramirez A. Heat exposure in sugar cane workers in Costa Rica during the non-harvest season. *Global Health Action*, 2010, 3. DOI: 10.3402/gha.v3i0.5619
22. Kjellstrom T, Butler A-J, Lucas R, Bonita R. Public health impact of global heating due to climate change – potential effects on chronic non-communicable diseases. *International Journal of Public Health* 2010, 55, 97-103. DOI: 10.1007/s00038-009-0090-2.
23. Langkulsen U, Vichit-Vadakan N, Taptagaporn S. Health Impact of climate change on occupational health and productivity in Thailand. *Global Health Action*, 2010, 3. DOI: 10.3402/gha.v3i0.5607
24. Mathee A, Oba J, Rose A. Climate change impacts on working people (The Hothaps initiative): findings of the South African pilot study. *Global Health Action*, 2010, 3. DOI: 10.3402/gha.v3i0.5612
25. Balakrishnan K, Ayyappan R, Dasu V, Stephen JC, Sivaperumal MR, Kumarasamy D, Mukhopadhyay K, Ghosh S, Sambandam S. Case studies on heat stress related perceptions in different industrial sectors in southern India. *Global Health Action*, 2010, 3. DOI: 10.3402/gha.v3i0.5635
26. Balogun AA, Balogun IA, Adeyewa ZD. Comparison of urban and rural heat stress conditions in a hot humid tropical city. *Global Health Action*, 2010, 3. DOI: 10.3402/gha.v3i0.5614
27. Bennet C, McMichael T. Non-heat related impacts of climate change on working populations. *Global Health Action*, 2010, 3. DOI: 10.3402/gha.v3i0.5640
28. Berry HL, Bowen K, Kjellstrom T. Climate change and mental health: a causal pathways framework. *Int J Public Health*, 2010, 55, 123-132, DOI: 10.1007/s00038-009-0112-0
29. Tawatsupa B, Lim L, Kjellstrom T, Seubsman S, Sleigh A, Thai Cohort Study Team. The association between overall health, psychological stress and occupational heat stress among a large national cohort of 40,913 Thai workers. *Global Health Action* 2010, **3**: 5034 - DOI: 10.3402/gha.v3i0.5034
30. Byass P, Twine W, Collinson M, Tollman S, Kjellstrom T. Assessing a population's exposure to heat and humidity: an empirical approach. *Global Health Action*, 2010, 3. DOI: 10.3402/gha.v3i0.5421.
31. Hanna EG, Kjellstrom T, Bennett C, Dear KM. Climate change and rising heat: population health implications for working people in Australia. *Asia Pacific J Publ Health*, December 15, 2010, doi: 10.1177/1010539510391457.
32. Bi P, Williams S, Loughnan M, Lloyd G, Hansen A, Kjellstrom T, Dear K, Saniotis A. The effects of extreme heat on human mortality and morbidity in Australia: implications for public health. *Asia Pacific Journal Public Health* 2011. 23 (2 Suppl):27S-36.
33. Nilsson M, Kjellstrom T. Invited editorial: climate change impacts on working people: how to develop prevention policies. *Global Health Action*, 2010, 3 (DOI: 10.3402/gha.v3i0.5774)
34. Hyatt O, Lemke B, Kjellstrom T. Regional maps of occupational heat exposure: past, present and potential future. *Global Health Action*. 2010, 3.(DOI: 10.3402/gha.v3i0.5715)
35. Dapi LN, Rocklov J, Nguetack-Tsague G, Tetanye E, Kjellstrom T. Heat impact on school children in Cameroon, Africa: potential health threat from climate change. *Global Health Action*, 2010, 3 (DOI: 10.3402/gha.v3i0.5610)
36. Hollowell DR Human perceptions and reactions to environmental heat – a brief note of issues of concern in relation to occupational health. *Global Health Action*, 2010, 3. DOI: 10.3402/gha.v3i0.5632
37. Holmer I Climate change and occupational heat stress: methods for assessment. *Global Health Action*, 2010, 3. DOI: 10.3402/gha.v3i0.5719
38. Sherwood S, Kjellstrom T, Green D. Heat stress in a warming world.. *Australasian Science*, 2010, 31, 18-20.
39. Friel S, Hancock T, Kjellstrom T, McGranahan G, Monge P, Roy Y. Urban Health Inequities and the added pressure of Climate Change: An Action-Oriented Research Agenda. *J Urban Health*, 2011 (on web 23 August)

40. Hanna EG, Kjellstrom T, Bennett C, Dear K. Climate change and rising heat: population health implications for working people in Australia. *Asia-Pacific J Publ Health*. 2011;23(2 Supp):14S-26S
41. Dash SK, Kjellstrom T Workplace heat stress in the context of rising temperature in India. *Current Science*, 2011, 101, 496-503.
42. Kjellstrom T. Climate change, occupational health and workplace productivity. *Proc. OH&S Forum 2011*. Helsinki, Finnish Institute of Occupational Health. pp. 178-182.
http://www.ttl.fi/en/publications/Electronic_publications/Documents/Forum2011_proceedings.pdf
43. Kjellstrom T, Crowe J. Climate change, workplace heat exposure and occupational health in Central America. *Int J Environmental Occupational Health*, 2011, 17, 270-281.
44. Tawatsupa B, Lim LL-Y, Kjellstrom T, Seubsman S, Sleigh A & the Thai Cohort Study team. Association Between Occupational Heat Stress and Kidney Disease Among 37 816 Workers in the Thai Cohort Study (TCS). *Journal of Epidemiology*, 2012. doi:10.2188/jea.JE20110082.
http://www.jstage.jst.go.jp/article/jea/advpub/0/advpub_1202140291/_article
45. Lemke B, Kjellstrom T. Calculating workplace WBGT from meteorological data. *Industrial Health*, 2012, 50, 267-278.
46. Kjellstrom T, Lemke B, Otto M Mapping occupational heat exposure and effects in South-East Asia: Ongoing time trends 1980-2009 and future estimates to 2050. *Indust Health* 2013, 51: 56-67.
47. Kjellstrom T, McMichael AJ Climate change threats to population health and well-being: the imperative of protective solutions that will last. *Global Health Action*, 2013, 6, DOI = doi.org/10.3402/gha.v6i0.20816.
<http://www.globalhealthaction.net/index.php/gha/article/view/20816>
48. Smith KR, Frumkin H, Balakrishnan K, Butler CD, Chafe Z, Fairlie I, Kinney P, Kjellstrom T, Mauzerall DL, McKone TE, McMichael AJ, Schneider M. Energy and human health, *Annual Review of Public Health* 2013, 34: 159-188, (web published, Jan 16, 2013, 10.1146/annurev-publhealth-031912-114404)
49. Sahu S, Sett M, Kjellstrom T. Heat Exposure, Cardiovascular Stress and Work Productivity in Rice Harvesters in India: Implications for a Climate Change Future. *Ind Health*, 2013, 51, 424-431.
50. Sheffield PE, Herrera JGR, Lemke B, Kjellstrom T, Romero LEB. Current and future heat stress in Nicaraguan work places under a changing climate. *Ind Health*, 2013, 51, 123-127.
51. Adam-Poupart A, Labreche F, Smargiassy A, Duguay P, Busque M-A, Gagne C, Rintamaki H, Kjellstrom T, Zayed J. Climate change and occupational health and safety in a temperature climate: Potential impacts and research priorities in Quebec, Canada. *Ind Health*, 2013, 51, 68-78.
52. Tawatsupa B, Yiengprugsawan V, Kjellstrom T, Berecki-Gisolf J, Seubsman SA, Sleigh A. Association between heat stress and occupational injury among Thai workers: findings of the Thai Cohort Study. *Ind Health* 2013, 51, 34-46.
53. Kjellstrom T, Sawada S, Bernard TE, Parsons K, Rintamaki H, Holmer I. Climate change and occupational heat problems. *Editorial, Ind Health*, 2013, 51, 1-2.
54. Crowe J, Wesseling C, Roman Solano B, Pinto Umana M, Robles Ramirez A, Kjellstrom T, Morales D, Nilsson M. Heat exposure in sugar cane harvesters in Costa Rica. *Am J Ind Med*, 2013, (on line).
55. Singh S, Hanna L, Kjellstrom T. Working in Australia's heat: health promotion concerns for health and productivity. *Health Pro Internat*, 2013; DOI:10.1093/heapro/dat027
56. Lundgren K, Kjellstrom T. Sustainability challenges from climate change and air conditioning use in urban areas. *Sustainability* 2013, 5, 3116-3128; doi:10.3390/su5073116
57. Crowe J, Nilsson M, Kjellstrom T, Wesseling I. Heat-related symptoms in sugar cane harvesters. *Amer J Prev Med*, 2014 (in press)
58. Kjellstrom T, Lemke B, Hyatt O, Otto M. Climate change and occupational health: a South African perspective. *South Africa Med J*, 2014 (in press)
59. Kjellstrom T, Hisham Hashim J. Impact of climate conditions on occupational health and related economic losses: a new feature of global and urban health in the context of climate change. *Asia-Pac J Publ Health* 2014 (in press)

60. Lucas RAI, Epstein Y, Kjellstrom T. Excessive occupational heat exposure – a significant ergonomic challenge and health risk for current and future workers. *Extreme Physiology & Medicine*, 2014 (in press)
61. Cotterill L, Bierre S, Kjellstrom T, Hales S. “You just keep walking into that pen”, sheep shearers’ experiences, perceptions and responses to heat. *Law and Business Australia*, 2014 (in press).

Review articles, book chapters, books, major report chapters

62. Holdren, J.P., Smith, K.R., Wang, X., Kjellstrom, T. et al. Energy, Environment and health. In: United Nations Development Program. *World Energy Assessment*. UNDP, New York (2000)
63. Kjellstrom T Air Quality and Health In: Cromar N, Cameron S, and Fallowfield H, eds. *Environmental Health in Australia and New Zealand*. Oxford University Press, Melbourne. pp. 274-292 (2004)
64. Cullen MR, Rosenstock L and Kjellstrom T. Occupational and environmental health and safety in developing countries. In: Rosenstock L, Cullen MR, Brodtkin CA and Redlich CA eds. *Textbook of clinical occupational and environmental medicine*. Second edition. Elsevier Saunders, Philadelphia, pp. 183-192 (2005)
65. McMichael, A.J., Kjellstrom, T. and Smith, K.R. Environmental Health. In: Merson, M., Black, R. and Mills, A.J., eds. *International Public Health*. 2nd edition. Aspen Publishers, Gaithersburg, Md., pp. 393-444 (2006).
66. Kjellstrom, T., Lodh, M., McMichael, T., Ranmuthugala, G., Shrestha, R. and Kingsland, S. Air and water pollution: Burden and strategies for control. In: Measham A., et al., *Disease control priorities in developing countries*, 2nd edition. World Bank book. Oxford University Press, New York, pp. 817-832 (2006).
67. Bonita R, Beaglehole R and Kjellstrom T. *Basic epidemiology*, second edition. World health organization, Geneva (2007)
68. Hogstedt, C., Wegman, D., Kjellstrom, T. The consequences of economic globalization on working conditions, labor relations and workers’ health. In: Wamala, S and Kawachi, I. *Globalization and health*. Oxford University Press, New York, pp. 138-157 (2007)
69. Kjellstrom T and Hogstedt C Global situation concerning work-related injuries and diseases. In: Elgstrand K and Pettersson I. Eds. *OSH for Development*. Stockholm, Royal Institute of Technology, pp. 741-761. (2009).
70. Pershagen G, Kjellstrom T, Bellander T. Air pollution interacts with Climate Change – consequences for human health. In: Pleijel H Ed. *Air pollution & climate change. Two sides of the same coin?* Stockholm, Swedish Environmental Protection Agency, 2009; pp. 89-96.
71. Kjellstrom T, Monge P. Global climate change and cities. In Vlahov D, Ivey Boufford J, Pearson C, Norris L. Eds. *Urban health: global perspectives*. San Francisco, Jossey-Bass, 2010, pp. 69-90.
72. Kjellstrom T. Climate change, workplace heat, and health (Box 5-1). In BS Levy, DH Wegman, SL Baron, RK Sokas (Eds.). *Occupational and Environmental Health: Recognizing and Preventing Disease and Injury (Sixth Edition)*. New York: Oxford University Press, 2011, p.104.
73. Kjellstrom T, Lemke B, Venugopal V (2013). Occupational health and safety impacts of climate conditions. In: Pielke R. *Climate Vulnerability*. New York, Elsevier Publ Co. pp. 145-156.
74. Kjellstrom, T, McMichael T, Smith K, Singh S. Environmental Health. In: Merson MH et al. Eds. *Global Health*, 3rd edition. Boston, Jones and Bartlett Learning, 2012. Pp. 481-537.
75. Smith KR, Balakrishnan K, Butler C, Chafe Z, Fairlie I, Kinney P, Kjellstrom T, et al. Energy and Health. In: Johansson TB, Patwardhan A, Nakicenovic N, Gomez-Echeverri L, Eds. *Global Energy Assessment (GEA)*. New York, Cambridge Univ Press, 2012, pp. 255-324.
76. Kjellstrom T. Climate change undermines the livable climate in large areas of the world: A key transformation issue for human living and working conditions of most people on the planet. In: *Proc. Transformation in a changing climate*. Oslo, University of Oslo, 2013, pp. 97-104.
77. Smith KR, Woodward A, Campbell-Lendrum D, Chadee D, Honda Y, Liu Q, Olwoch J, Revich B, Sauerborn R, Aranda C, Berry H, Butler C, Chafe Z, Cushing L, Ebi K, Kjellstrom T, et al. Chapter 11. Human health: Impacts, Adaptation and Co-benefits. In: *IPCC WG2 report 2014*, http://ipcc-wg2.gov/AR5/images/uploads/WGIIAR5-Chap11_FGDall.pdf.
78. Kjellstrom T, Lemke B, Otto M, Hyatt O, Briggs D, Freyberg C. Heat impacts on human performance and

daily life. In: Levy B, Patz J. Eds. Climate change and Public Health. New York, Oxford Univ Press, 2014 (in press).

79. Kjellstrom T, Lucas R, Lemke B, Otto M, Venugopal V. Measuring and estimating occupational heat exposure and effects in relation to climate change: "Hothaps" tools for impact assessments and prevention approaches. In: Butler CD, Ed. Climate change and Global health. Wallingford, UK, CABI.org, 2014 (in press).

80. Kjellstrom T, Lucas R, Lemke B, Sahu S. Occupational heat effects: a global health and economic threat due to climate change. In: Butler CD, Ed. Climate change and Global health. Wallingford, UK, CABI.org, 2014 (in press).

Popular science articles/presentations, technical reports

81. Kjellstrom T., Kingsland, S., Hanigan I. Health impacts on Canberra residents of smoke from the January 2003 bushfires. Report to ACT Health (2004).

82. Amitrano L, Hargreaves R, Page I, Hennessy K, Lee T, Snow M, Winton L, Woodruff R, Kjellstrom T (2006) An Assessment of the Need to Adapt Buildings for the Unavoidable Consequences of Climate Change. A report for the Australian Greenhouse Office, 101 pp.

83. Kjellstrom T., and Knowledge Network on Urban Settings (including Howden-Chapman P). Our cities, our health, our future: Acting on social determinants for health equity in urban settings. Report to the WHO Commission on Social Determinants of Health from the Knowledge Network on Urban Settings (the KNUS report). WHO Kobe Centre, Kobe, Japan (2008).

84. Berry HL, Kelly BJ, Hanigan IC, Coates JH, McMichael AJ, Welsh JA, Kjellstrom T. Rural mental health impacts of climate change. Commissioned report for the *Garnaut Climate Change Review*. Canberra: The Australian National University. 2008; 40 pp.

85. Kjellstrom T, Ferguson R, Taylor A. *The total public health impact of road transport in Sweden*. Technical report. Borlange, Swedish National Road Authority, 2009. (website: http://publikationswebbutik.vv.se/upload/4863/2009_67_health_impact_assessment_and_public_health_costs_of_the_road_transport_sector.pdf)

86. Kjellstrom T. *Global climate change and health -- a new theme for research in environmental medicine*. Technical report. Stockholm, Sweden: National Institute of Environmental Medicine; 2009. (website: <http://ki.se/content/1/c6/08/58/71/Klimatrapport091020.pdf>)

87. Kjellstrom T. *Climate change exposures, chronic diseases and mental health in urban populations -- a threat to health security, particularly for the poor and disadvantaged*. Technical report to the WHO Kobe Centre. Kobe, Japan: World Health Organization; 2009.

88. Kjellstrom T, Lemke B, Hyatt O. Increased workplace heat exposure due to climate change: a potential threat to occupational health, worker productivity and local economic development in Asia and the Pacific region. Asian-Pacific Newsletter on Occupational Health and Safety, May, 2011.

89. Lemke B, Hyatt O, Kjellstrom T. Estimating workplace heat exposure using weather station and climate modelling data: new tools to estimate climate change impacts on occupational health in Asia and the Pacific region. Asian-Pacific Newsletter on Occupational Health and Safety, May, 2011.

90. Kjellstrom T, Odland JO, Nilsson M. Progress in the Hothaps program assessing impacts and prevention of heat effects on working people in relation to local climate change. Asian-Pacific Newsletter on Occupational Health and Safety, May, 2011.

91. Kjellstrom T, Lemke B, Otto M. Climate change, occupational heat stress and impacts on health and productivity in Africa. African Newsletter on Occupational Health and Safety, Dec 2011, 21, 44-47.

92. Kjellstrom T, Odland JO, Nilsson M. Hothaps Update, Progress report on a program for assessment and prevention of climate change impacts on working people Technical report 2011:1. Umea, Sweden, Umea Center for Global Health Research. Aug 2011, <http://www.climateandhealth.net/static/en/34/images/hothaps-update-110827.pdf>

End